

TRUCK CRANE AK52

WWW.TOTALLIFTING.COM



The Böcker AK 52 sets new standards in the 32 t class as 4-axle. Lifting 3,000 kg to a sensational radius of 17 m with a height of 31 m, it is most likely the strongest crane in an aluminium-steel design currently available on the market. The AK 52 also reaches new heights when being used as a working platform. It's extendable cage with a width of 3.5 meters, it impresses with a load capacity of up to 600 kg. Thanks to its small slewing radius, its highly-modern closed hybrid-telescope boom and its fully-hydraulic, telescopic fly jib of 14 m, it is perfect for your job site even when working in tight spaces!

TEL: 0208 226 4000 EMAIL: info@totallifting.com



TRUCK CRANE AK52

WWW.TOTALLIFTING.COM

Permisson gross vechicle weight (t)	32
Max. payload (kg)	3,000 (optional 6,000/12000)
Max. extension length (m)	52.0 (optional 55.0)
Working height up to jib (m)	38.0
Jib extendable (m)	6.3 / 10.3 / 14.3
Jib payload (kg)	3,000 / 2,000 / 1,000
Boom angle (degrees)	85
Jib angle (degrees)	157
Pivoting range (degrees)	Endless
Hook Speed (m/min)	50
Range for crane operation at 500 kg (m)	40.0
Range for crane operation at 1t (m)	34.0
Range for crane operation at 2 t (m)	22.0
Range for crane operation at 3 t (m)	17.0
Range for crane operation at 6 t (m)	10.0
Range for crane operation at 12 t (m)	5.0
Range/Working height max. (m) with rotating basket 250g (PK 250-D) with rotating basket 350g (PK 350-D) with rotating basket 600g (PK 600-D)	37.5/53.0 33.0/51.0 30.0/51.0
Range/Working height max. (m) with non-rotating 250kg	37.5/53.0

TEL: 0208 226 4000


EMAIL: info@totallifting.com

FRESHWATER ROAD DAGENHAM ESSEX RM8 1RX




TRUCK CRANE AK52

WWW.TOTALLIFTING.COM



Working range platform operation Non-rotating basket PK 250-1



All weights in kg. Measurements can fluctuate slightly.




TRUCK CRANE AK52

WWW.TOTALLIFTING.COM





JIB - All weights in kg. Measurements can fluctuate slightly





TRUCK CRANE AK52

WWW.TOTALLIFTING.COM

DIMENSIONS 4 -axle chassis

